

	R VALUE	THICKNESS—mm	CODE	NOMINAL PACKAGING	M <sup>2</sup> /BALE	
<b>CEILING</b>	<b>Ceiling Batten Insulation</b>					
	R0.9	35	09.35.570	2 x 6m x 570mm	6.84 m <sup>2</sup>	
	<b>R1.2 (R)</b>	<b>45</b>	<b>12.45.570</b>	<b>2 x 5m x 570mm</b>	<b>5.70 m<sup>2</sup></b>	
	<b>Skillion Roof Insulation</b>					
	R3.0	115	30.115.570	5 x 2.6m x 570mm	7.41 m <sup>2</sup>	
	R3.2	140	32.140.570	5 x 2.6m x 570mm	7.41 m <sup>2</sup>	
	<b>R3.6 (R)</b>	<b>140</b>	<b>36.140.570</b>	<b>4 x 2.6m x 570mm</b>	<b>5.93 m<sup>2</sup></b>	
	R3.2	165	32.165.570	6 x 2.6m x 570mm	8.89 m <sup>2</sup>	
	R3.6	165	36.165.570	5 x 2.6m x 570mm	7.41 m <sup>2</sup>	
	R4.0	165	40.165.570	4 x 2.6m x 570mm	5.93 m <sup>2</sup>	
	R3.6	180	36.180.570	5 x 2.6m x 570mm	7.41 m <sup>2</sup>	
	<b>R4.0 (R)</b>	<b>180</b>	<b>40.180.570</b>	<b>5 x 2.6m x 570mm</b>	<b>7.41 m<sup>2</sup></b>	
	<b>Double Layer Skillion Roof Insulation</b>					
	<b>R5.0 (R)</b>	<b>210</b>	<b>50.210.570</b>	<b>4 x 2.6m x 570mm</b>	<b>2.96 m<sup>2</sup></b>	
	R6.2	240	62.240.570	3 x 2.6m x 570mm	2.22 m <sup>2</sup>	
	<b>R7.2 (R)</b>	<b>290</b>	<b>72.290.570</b>	<b>3 x 2.6m x 570mm</b>	<b>2.22 m<sup>2</sup></b>	
	<b>Truss Roof Insulation</b>					
	R1.9	105	19.105.870	2 x 5m x 870mm	8.70 m <sup>2</sup>	
<b>R2.6 (R)</b>	<b>145</b>	<b>26.145.870</b>	<b>2 x 4m x 870mm</b>	<b>6.96 m<sup>2</sup></b>		
R3.2 (R)	165	32.165.870	2 x 4m x 870mm	6.96 m <sup>2</sup>		
<b>R3.6 (R)</b>	<b>180</b>	<b>36.180.870</b>	<b>2 x 3.5m x 870mm</b>	<b>6.09 m<sup>2</sup></b>		
<b>R4.0 (R)</b>	<b>180</b>	<b>40.180.870</b>	<b>2 x 3.5m x 870mm</b>	<b>6.09 m<sup>2</sup></b>		
<b>Double Layer Truss Roof Blanket Insulation</b>						
	<b>LAYERS</b>					
R3.8	R1.9 + R1.9	210	38.210.870d	2 x 5m x 870mm	4.35 m <sup>2</sup>	
R4.5	R1.9 + R2.6	250	45.250.870d	2 x 4.5m x 870mm	3.92 m <sup>2</sup>	
<b>R5.2 (R)</b>	<b>R2.6 + R2.6</b>	<b>290</b>	<b>52.290.870d</b>	<b>2 x 4m x 870mm</b>	<b>3.48 m<sup>2</sup></b>	
<b>R6.4 (R)</b>	<b>R3.2 + R3.2</b>	<b>330</b>	<b>64.330.870d</b>	<b>2 x 4m x 870mm</b>	<b>3.48 m<sup>2</sup></b>	
<b>R7.2 (R)</b>	<b>R3.6 + R3.6</b>	<b>360</b>	<b>72.360.870d</b>	<b>2 x 3.5m x 870mm</b>	<b>3.05 m<sup>2</sup></b>	
<b>R8.0 (R)</b>	<b>R4.0 + R4.0</b>	<b>360</b>	<b>80.360.870d</b>	<b>2 x 3.5m x 870mm</b>	<b>3.05 m<sup>2</sup></b>	
<b>WALL</b>	<b>Wall Service Cavity Insulation</b>					
	R1.2	45	12.45.570	2 x 5m x 570mm	5.70 m <sup>2</sup>	
	<b>Wall Insulation for studs at 600mm centres</b>					
	R1.8	70	18.70.560	7 x 2.6m x 560mm	10.19 m <sup>2</sup>	
	<b>R2.2 (R)</b>	<b>90</b>	<b>22.90.560</b>	<b>6 x 2.6m x 560mm</b>	<b>8.74 m<sup>2</sup></b>	
	<b>R2.4 (R)</b>	<b>90</b>	<b>24.90.560</b>	<b>5 x 2.6m x 560mm</b>	<b>7.28 m<sup>2</sup></b>	
	R2.8	140	28.140.560	6 x 2.6m x 560mm	8.74 m <sup>2</sup>	
	<b>R3.2 (R)</b>	<b>140</b>	<b>32.140.560</b>	<b>5 x 2.6m x 560mm</b>	<b>7.28 m<sup>2</sup></b>	
	<b>R3.6 (R)</b>	<b>140</b>	<b>36.140.560</b>	<b>4 x 2.6m x 560mm</b>	<b>5.82 m<sup>2</sup></b>	
	<b>Wall Insulation for studs at 400mm centres</b>					
	R1.8	70	18.70.360	7 x 2.6m x 360mm	6.55 m <sup>2</sup>	
	R2.2	90	22.90.360	6 x 2.6m x 360mm	5.62 m <sup>2</sup>	
	<b>R2.4 (R)</b>	<b>90</b>	<b>24.90.360</b>	<b>5 x 2.6m x 360mm</b>	<b>4.68 m<sup>2</sup></b>	
	R2.8	140	28.140.360	6 x 2.6m x 360mm	5.62 m <sup>2</sup>	
	<b>R3.2 (R)</b>	<b>140</b>	<b>32.140.360</b>	<b>5 x 2.6m x 360mm</b>	<b>4.68 m<sup>2</sup></b>	
	<b>R3.6 (R)</b>	<b>140</b>	<b>36.140.360</b>	<b>4 x 2.6m x 360mm</b>	<b>3.74 m<sup>2</sup></b>	
	<b>ACOUSTIC</b>	<b>Chatterbock ECO / Chatterblock+ Wall Acoustic Insulation for studs at 600mm centres</b>				
		R1.4	60	14.60.560	5 x 2.6m x 560mm	7.28m <sup>2</sup>
<b>R2.2 (R)</b>		<b>90</b>	<b>22.90.560</b>	<b>6 x 2.6m x 560mm</b>	<b>8.74 m<sup>2</sup></b>	
<b>R3.2 (R)</b>		<b>140</b>	<b>32.140.560</b>	<b>5 x 2.6m x 560mm</b>	<b>7.28 m<sup>2</sup></b>	
<b>Chatterblock+ Mid Floor Acoustic Insulation for floor joists at 450mm centres</b>						
R2.2	90	22.90.415	6 x 2.6m x 415mm	6.47 m <sup>2</sup>		
R3.2	140	32.140.415	5 x 2.6m x 415mm	5.40 m <sup>2</sup>		
<b>UNDER FLOOR</b>	<b>Underfloor (Timber Subfloor Structures Only - installed from underneath)</b>					
	R1.8	100	18.100.460	2 x 4m x 460mm	3.68 m <sup>2</sup>	
	<b>R2.6</b>	<b>140</b>	<b>26.140.460</b>	<b>4 x 4m x 460mm</b>	<b>7.36 m<sup>2</sup></b>	
<b>DROP IN FLOOR</b>	<b>Drop In Floor (Timber Subfloor Structures Only - DIF - installed from above)</b>					
	R1.7*	70	DIF 70365	10 x 1.2m x 365mm	4.4 m <sup>2</sup>	
	R1.7*	70	DIF 70415	10 x 1.2m x 415mm	5.0 m <sup>2</sup>	
	R1.7*	70	DIF 70565	10 x 1.2m x 565mm	6.8 m <sup>2</sup>	
	R2.4*	110	DIF 110365	10 x 1.2m x 365mm	4.4 m <sup>2</sup>	
	R2.4*	110	DIF 110415	10 x 1.2m x 415mm	5.0 m <sup>2</sup>	
R2.4*	110	DIF 110565	10 x 1.2m x 565mm	5.4 m <sup>2</sup>		

- R = Item is returnable subject to the return policy
- Products are available in customised lengths and widths
- Minimum order quantities may apply
- Please allow two weeks for delivery from placement of order

\* Construction R-Value  
04.03.2022

Terra Lana Products Ltd  
P: (03) 982 0211 // 0800 485 262 // info@terralana.co.nz  
55 Francella Street, PO Box 19755, Christchurch 8241, New Zealand  
**terralana.co.nz**



**WRAP YOUR HOME IN THE NATURAL ADVANTAGES OF WOOL**